Author Index

Abdul Ghani, S. A. A.	Tracking the two-phase flow through a vehicle cowl box	515–532
Allenby, S.	Hydrogen enrichment: a way to maintain combustion stability in a natural gas fuelled engine with exhaust gas recirculation, the potential of fuel reforming	405–418
Altenhof, W.	The distribution of energy absorbed by a three-spoke steering wheel armature in an impact with a deformable chestform	589–601
Aroussi, A.	Tracking the two-phase flow through a vehicle cowl box	515–532
Bae, D. H.	Development of an optimum design technique for the bus window pillar member	11–20
Bakhshan, Y.	Studies of NO_x, CO, soot formation and oxidation from a direct injection stratified-charge engine using the k–ε turbulence model	95–104
Bang, M. S.	Performance enhancement of a sliding mode wheel slip controller by the yaw moment control	455–468
Bartlett, H.	Hybrid modelling and simulation of the torsional vibration of vehicle driveline systems	217–229
Beccari, A.	Implicit regulation for automotive variators	697–708
Benjamin, S. F.	Warming automotive catalysts with pulsating flows	891–910
Besant, C. B.	Vibration analysis of a prototype of a small-scale high-speed generator for a hybrid electric vehicle	441–453
Bolton, J. R.	Comparison and evaluation of contemporary restraint systems in the driver and front-passenger environments	1147–1159
Cammalleri, M.	Implicit regulation for automotive variators	697–708
Capobianco, M.	Optimum control of an automotive direct injection diesel engine for low exhaust emissions	1225–1236
Cary, M.	Throttle body: modelling and identification	813–825
Casanova, D.	Construction of race circuit geometry from on-car measurements	1033–1042
Chan, S. H.	A practical approach for rapid catalyst light-off by means of strategic engine control	545–555
Chang, W.-C.	Hydrogen enrichment: a way to maintain combustion stability in a natural gas fuelled engine with exhaust gas recircualtion, the potential of fuel reforming	405–418
Chen, J.	Application of wavelet packets algorithm to diesel engines' vibroacoustic signature extraction	987–993
Chen, J.	Dynamic modelling and simulation of two-mode electric variable transmission	1217–1223
Chen, J. A.	Experimental study of operating performance of a tube-and-fin radiator for vehicles	911–918
Chen, J. K.	Theoretical simulation of combustion processes of airbag inflators	1–9
Chen, R.	The design of an active suspension force controller using genetic algorithms with maximum stroke constraints	317–327
Chiang, C. F.	A general theory for skid steering of tracked vehicles on firm ground	343–355
Chirwa, E. C.	Fuzzy neural ignition timing control for a natural gas fuelled spark ignition engine	1311–1323
Cho, B. H.	Development of a track tension monitoring system in tracked vehicles on flat ground	567–578
Cho, H.	Simulation of a transient torque response for engine performance in a spark ignition engine	127–140
Choi, J. H.	Development of a track tension monitoring system in tracked vehicles on flat ground	567–578
Chung, S. H.	Effect of synchronized secondary air injecton on exhaust hydrocarbon emission in a spark ignition engine	557–566
Coates, R.	Orange peel: who cares?	1241–1244
Collop, A. C.	Alternative methods of traffic characterization in flexible pavement design	141–156
Cowan, B.	Design of continuously variable power split transmission systems for automotive applications	469–478
Crandall, J. R.	Comparison and evaluation of contemporary restraint systems in the driver and front-passenger environments	1147–1159
Creaven, J. P.	A computational and experimental study of the scavenging flow in the transfer duct of a motored two-stroke cycle engine	1017–1031
Cui, Y.	A direct injection diesel combustion model for use in transient condition analysis	995–1004
Cunningham, G.	The development of a two-dimensional transient catalyst model for direct injection two-stroke applications	919–933

© IMechE 2001

Cunningham, G.	The validation of a two-dimensional transient catalyst model for direct injection two-stroke applications	935–955
Cunningham, G.	A computational and experimental study of the scavenging flow in the transfer duct of a motored two-stroke cycle engine	1017–1031
Cvijanović, J. M.	Additional adjustment of the driver seat in accordance with the latest anthropometric measurements of drivers in Belgrade	709–712
Deng, K.	A direct injection diesel combustion model for use in transient condition analysis	995–1004
Desantes, J. M.	Study of the steady flow produced by direct injection diesel engine intake ports	285–298
DeWitt, K. J.	Viscous contribution to minimum static pressure in a rapidly rotating transfer passage	1093–1098
Doudou, A.	Study of the steady flow produced by direct injection diesel engine intake ports	285–298
Douglas, R.	The development of a two-dimensional transient catalyst model for direct injection two-stroke applications	919–933
Douglas, R.	The validation of a two-dimensional transient catalyst model for direct injection two-stroke applications	935–955
Du, H.	Reconstructing cylinder pressure from vibration signals based on radial basis function networks	761–767
Duma, S. M.	Comparison and evaluation of contemporary restraint systems in the driver and front-passenger environments	1147–1159
Durst, F.	A new type of internal combustion engine based on the porous-medium combustion technique	63–81
Ebrahimi, M.	Hybrid modelling and simulation of the torsional vibration of vehicle driveline systems	217–229
Ebrahimi, M.	Throttle body: modelling and identification	813–825
El-Gindy, M.	Sensitivity of rearward amplification control of a truck/full trailer to tyre cornering stiffness variations	579–588
Eren, H.	External torque application on antilock brake systems	789–794
Eriksson, M.	A study of the influence of humidity on the friction and squeal generation of automotive brake pads	329–342
Eriksson, M.	Friction behaviour and squeal generation of disc brakes at low speeds	1245–1256
Eskandarian, A.	Unobtrusive drowsiness detection by neural network learning of driver steering	969–975
Farshidianfar, A.	Hybrid modelling and simulation of the torsional vibration of vehicle driveline systems	217–229
Feng, M.	An investigation of in-cylinder tumbling motion in a four-valve spark ignition engine	273–284
Fessler, H.	The design of overlapped crankshafts. Part 1: crankpin fillets	503–513
ffrench, K.	Throttle body: modelling and identification	813–825
Fleck, R.	A computational and experimental study of the scavenging flow in the transfer duct of a motored two-stroke cycle engine	1017–1031
Foley, L.	The development of a two-dimensional transient catalyst model for direct injection two-stroke applications	919–933
Foley, L.	The validation of a two-dimensional transient catalyst model for direct injection two-stroke applications	935–955
Froehlich, M.	Non-linear time series analysis of combustion pressure data for neural network training with the concept of mutual information	299–304
Fujii, Y.	Prediction of wet band brake dynamic engagement behaviour. Part 1: mathematical model development	479–492
Fujii, Y.	Prediction of wet band brake dynamic engagement behaviour. Part 2: experimental model validation	603–611
Gao, X.	Comparison of audible and digital techniques for the determination of gasoline octane rating in production engines	419–430
Geng, Z. M.	Application of wavelet packets algorithm to diesel engines' vibroacoustic signature extraction	987–993
Göktan, A. G.	External torque application on antilock brake systems	789–794
Gong, W.	Combustion modelling for direct injection diesel engines	651–663
Guzzella, L.	Performance simulations of engine–gearbox combinations for lightweight passenger cars	259–271
Han, C.	A suspension system with a variable roll centre for the improvement of vehicle handling characteristics	677–696
Han, C. S.	Enhancement of vehicle handling characteristics by suspension kinematic control	197–216
Han, C. S.	Performance enhancement of a sliding mode wheel slip controller by the yaw moment control	455–468
Han, G. H.	Vibration characteristics of steering columns with bellows	171–178
Hedrick, J. K.	Performance enhancement of a sliding mode wheel slip controller by the yaw moment control	455–468
Heister, F.	Non-linear time series analysis of combustion pressure data for neural network training with the concept of mutual information	299–304

© IMechE 2001

Helali, A.-H. B.	Effect of coolant additives on thermal loading of a diesel engine	1131–1142
Hilton, A. D. M.	A direct transform method for the analysis of laser Doppler anemometry engine data	725–738
Holford, K. M.	Electrohydraulic effects on the modelling of a vehicle active suspension	1077–1092
Holmes, K.	Fuzzy neural ignition timing control for a natural gas fuelled spark ignition engine	1311–1323
Hong, H.	Solenoid-operated diesel injectors for low-viscosity liquid and gaseous fuels	1281–1296
Hong, J.	A vehicle control algorithm for stop-and-go cruise control	1099–1115
Hong, J. H.	An optimum design methodology development using a statistical technique for vehicle occupant safety	795–801
Hong, J. W.	The turbulence measurement during the intake and compression process for high-turbulence generation around spark timing	493–501
Hong, S. W.	Axiomatic design of the motor-driven tilt/telescopic steering system for safety and vibration	179–187
Hsieh, T.	Dynamic modelling and simulation of two-mode electric variable transmission	1217–1223
Hsieh, W. H.	Theoretical simulation of combustion processes of airbag inflators	1–9
Hudson, C.	Comparison of audible and digital techniques for the determination of gasoline octane rating in production engines	419–430
Huh, K.	Development of a track tension monitoring system in tracked vehicles on flat ground	567–578
Huh, K. Y.	Reduction of NO_x, smoke and brake specific fuel consumption with optimal injection timing and emulsion ratio of water-emulsified diesel	83–93
Hwang, W.-G.	Active vibration control of a suspension system using an electromagnetic damper	865–873
Hyde, T. H.	The design of overlapped crankshafts. Part 1: crankpin fillets	503–513
Imam, A.	An experimental study of unsteady vehicle aerodynamics	779–788
Jacobson, B.	Outline of a new control concept for power shifting of fixed step ratio automotive transmissions	613–624
Jacobson, S.	A study of the influence of humidity on the friction and squeal generation of automotive brake pads	329–342
Jacobson, S.	Friction behaviour and squeal generation of disc brakes at low speeds	1245–1256
Jeong, H.-Y.	New algorithm and accelerometer locations for frontal crash discrimination	1171–1178
Jeong, S.-J.	A three-dimensional numerical study of the effect of pulsating flow on conversion efficiency inside a catalytic converter	45–61
Jeong, S.-J.	A new strategy for improving the warm-up performance of a light-off auto-catalyst for reducing cold-start emissions	1179–1196
Jere, F.	Analysis of the air flow in the radial engine cooling fan of a combat vehicle	665–673
Jo, H. S.	Measurement of road gradients for the development of driving modes including road gradients	977–986
Jones, T. B.	An experimental and finite element study of the torsional behaviour of T-joints in automotive structures	231–240
Joo, Y.	Optimization of the intake port shape for a five-valve gasoline engine	739–746
Joo, Y.	An investigation of optimal fuel injection conditions for the reduction in hydrocarbon emission	827–836
Kalam, M. A.	Performance, emissions and wear characteristics of an indirect injection diesel engine using coconut oil blended fuel	393–404
Kandt, L. D.	Determination of air brake adjustment from air pressure data	21–29
Kang, S.	Optimum design of an A-pillar trim with rib structures for occupant head protection	1161–1169
Kang, T.	Transient air–fuel ratio control of a multi-point injection engine with an integration-type ultrasonic flowmeter	385–391
Kauh, S.	Simulation of a transient torque response for engine performance in a spark ignition engine	127–140
Kauh, S. K.	Transient air–fuel ratio control of a multi-point injection engine with an integration-type ultrasonic flowmeter	385–391
Kee, C.-D.	Active vibration control of a suspension system using an electromagnetic damper	865–873
Keith, T. G.	Viscous contribution to minimum static pressure in a rapidly rotating transfer passage	1093–1098
Kenny, R. G.	A computational and experimental study of the scavenging flow in the transfer duct of a motored two-stroke cycle engine	1017–1031
Kent, R. W.	Comparison and evaluation of contemporary restraint systems in the driver and front-passenger environments	1147–1159
Kim, D. H.	Geometry of hob and simulation of generation of the cylindrical gears by conventional or climb hobbing operation	533–544
Kim, H. G.	Optimum design of an A-pillar trim with rib structures for occupant head protection	1161–1169
Kim, H. K.	Vibration characteristics of steering columns with bellows	171–178
Kim, H.-S.	Lateral dynamics and robust control synthesis for automated car steering	31–43

© IMechE 2001

Kim, J.	Transient air–fuel ratio control of a multi-point injection engine with an integration-type ultrasonic flowmeter	385–391
Kim, K. H.	Vibration characteristics of steering columns with bellows	171–178
Kim, M. H.	Development of an optimum design technique for the bus window pillar member	11–20
Kim, W.-S.	A three-dimensional numerical study of the effect of pulsating flow on conversion efficiency inside a catalytic converter	45–61
Kim, W.-S.	A new strategy for improving the warm-up performance of a light-off auto-catalyst for reducing cold-start emissions	1179–1196
Kim, Y.-B.	Active vibration control of a suspension system using an electromagnetic damper	865–873
Kim, Y.-H.	New algorithm and accelerometer locations for frontal crash discrimination	1171–1178
Kimcikiewicz, M.	Design of continuously variable power split transmission systems for automotive applications	469–478
Klarin, M. M.	Additional adjustment of the driver seat in accordance with the latest anthropometric measurements of drivers in Belgrade	709–712
Kok, J. B. W.	Unsteady in-cylinder heat transfer in a spark ignition engine: experiments and modelling	747–760
Kolich, M.	Electromyographic comparison of two lumbar support mechanisms intended for automotive seating applications	771–777
Kong, J. H.	Measurement of road gradients for the development of driving modes including road gradients	977–986
Kubo, A.	Performance, emissions and wear characteristics of an indirect injection diesel engine using coconut oil blended fuel	393–404
Kwon, Y. D.	An investigation of intelligent cruise control laws for passenger vehicles	159–169
Kwon, Y. D.	A vehicle control algorithm for stop-and-go cruise control	1099–1115
Ladommatos, N.	Understanding of controlled autoignition combustion in a four-stroke gasoline engine	1297–1310
Lee, C.	Optimization of the intake port shape for a five-valve gasoline engine	739–746
Lee, C.	An investigation of optimal fuel injection conditions for the reduction in hydrocarbon emission	827–836
Lee, J.	Simulation of a transient torque response for engine performance in a spark ignition engine	127–140
Lee, J. H.	Reduction of NO_x, smoke and brake specific fuel consumption with optimal injection timing and emulsion ratio of water-emulsified diesel	83–93
Lee, J. M.	Measurement of road gradients for the development of driving modes including road gradients	977–986
Lee, J. T.	The turbulence measurement during the intake and compression process for high-turbulence generation around spark timing	493–501
Lee, K.	Optimization of the intake port shape for a five-valve gasoline engine	739–746
Lee, K.	An investigation of optimal fuel injection conditions for the reduction in hydrocarbon emission	827–836
Lee, M. M. K.	An experimental and finite element study of the torsional behaviour of T-joints in automotive structures	231–240
Lee, S.	An investigation of intelligent cruise control laws for passenger vehicles	159–169
Lee, S. H.	Enhancement of vehicle handling characteristics by suspension kinematic control	197–216
Lee, S. H.	Performance enhancement of a sliding mode wheel slip controller by the yaw moment control	455–468
Lee, S. U.	Vibration analysis of a prototype of a small-scale high-speed generator for a hybrid electric vehicle	441–453
Lee, U.	A suspension system with a variable roll centre for the improvement of vehicle handling characteristics	677–696
Lee, U. K.	Enhancement of vehicle handling characteristics by suspension kinematic control	197–216
Li, Y.	An investigation of in-cylinder tumbling motion in a four-valve spark ignition engine	273–284
Liu, S.	An investigation of in-cylinder tumbling motion in a four-valve spark ignition engine	273–284
Loch, N. E.	Kinematic analysis of a two-degree-of-freedom steering mechanism used in rigid-axle vehicles	803–812
Love, J. C.	Orange peel: who cares?	1241–1244
Lu, Z.	Design of continuously variable power split transmission systems for automotive applications	469–478
Lundqvist, A.	A study of the influence of humidity on the friction and squeal generation of automotive brake pads	329–342
McCullogh, G.	The development of a two-dimensional transient catalyst model for direct injection two-stroke applications	919–933
McCullogh, G.	The validation of a two-dimensional transient catalyst model for direct injection two-stroke applications	935–955

© IMechE 2001

Maciuca, D. B.	Performance enhancement of a sliding mode wheel slip controller by the yaw moment control	455–468
Maggetto, G.	Vehicle simulation program: a tool to evaluate hybrid power management strategies based on an innovative iteration algorithm	1043–1052
Maleque, M. A.	Performance, emissions and wear characteristics of an indirect injection diesel engine using coconut oil blended fuel	393–404
Manoj, R.	Gear rattle modelling and analysis for automotive manual transmissions	241–258
Mansouri, S. H.	Studies of NO_x, CO, soot formation and oxidation from a direct injection stratified-charge engine using the k–ε turbulence model	95–104
Mantriota, G.	Power split continuously variable transmission systems with high efficiency	357–368
Mantriota, G.	Theoretical and experimental study of a power split continuously variable transmission system. Part 1	837–850
Mantriota, G.	Theoretical and experimental study of a power split continuously variable transmission system. Part 2	851–864
Mantriota, G.	Infinitely variable transmissions with automatic regulation	1267–1280
Manzie, C.	Gaussian networks for fuel injection control	1053–1068
Martinez-Botas, R. F.	Turbocharger motor–generator for improvement of transient performance in an internal combustion engine	369–383
Martyr, A. J.	Some limitations of the chassis dynamometer in vehicle simulation	431–437
Masiulaniec, K. C.	Viscous contribution to minimum static pressure in a rapidly rotating transfer passage	1093–1098
Masjuki, H. H.	Performance, emissions and wear characteristics of an indirect injection diesel engine using coconut oil blended fuel	393–404
Megaritis, A.	Hydrogen enrichment: a way to maintain combustion stability in a natural gas fuelled engine with exhaust gas recirculation, the potential of fuel reforming	405–418
Micklow, G. J.	Cycle analysis for fuel-inducted internal combustion engine configurations	115–125
Micklow, G. J.	Combustion modelling for direct injection diesel engines	651–663
Min, K.	Effect of synchronized secondary air injection on exhaust hydrocarbon emission in a spark ignition engine	557–566
Mohamed, A. I.	Electromyographic comparision of two lumbar support mechanisms intended for automotive seating applications	771–777
Mrad, N.	Sensitivity of rearward amplification control of a truck/full trailer to tyre cornering stiffness variations	579–588
Mucino, V. H.	Design of continuously variable power split transmission systems for automotive applications	469–478
Muehlhaeusser, R.	Agile control systems	189–195
Mun, M. S.	An optimum design methodology development using a statistical technique for vehicle occupant safety	795–801
Nonaka, T.	Performance, emissions and wear characteristics of an indirect injection diesel engine using coconut oil blended fuel	393–404
Novak, M.	Analysis of the air flow in the radial engine cooling fan of a combat vehicle	665–673
Nwagboso, C.	Fuzzy neural ignition timing control for a natural gas fuelled spark ignition engine	1311–1323
Nwagboso, C. O.	Kinematics of fibre optics sensory systems for control of a natural gas engine	713–724
Oude Nijeweme, D. J.	Unsteady in-cylinder heat transfer in a spark ignition engine: experiments and modelling	747–760
Owens, B.	Cycle analysis for fuel-inducted internal combustion engine configurations	115–125
Palaniswami, M.	Gaussian networks for fuel injection control	1053–1068
Panting, J.	Turbocharger motor–generator for improvement of transient performance in an internal combustion engine	369–383
Paonessa, S.	The distribution of energy absorbed by a three-spoke steering wheel armature in an impact with a deformable chestform	589–601
Papa, F.	Viscous contribution to minimum static pressure in a rapidly rotating transfer passage	1093–1098
Park, G. J.	Axiomatic design of the motor-driven tilt/telescopic steering system for safety and vibration	179–187
Park, G. J.	Crash analyses and design of a belt integrated seat for occupant safety	875–889
Park, J. H.	Measurement of road gradients for the development of driving modes including road gradients	977–986
Park, J. W.	Reduction of NO_x, smoke and brake specific fuel consumption with optimal injection timing and emulsion ratio of water-emulsified diesel	83–93
Park, S.	Feedback error learning neural networks for spark advance control using cylinder pressure	625–636
Park, Y. I.	Measurement of road gradients for the development of driving modes including road gradients	977–986
Park, Y. S.	Crash analyses and design of a belt integrated seat for occupant safety	875–889

© IMechE 2001

Passmore, M. A.	An experimental study of unsteady vehicle aerodynamics	779–788
Pastor, J. V.	Study of the steady flow produced by direct injection diesel engine intake ports	285–298
Pendlebury, M. A.	Kinematics of fibre optics sensory systems for control of a natural gas engine	713–724
Peng, Z.	Understanding of controlled autoignition combustion in a four-stroke gasoline engine	1297–1310
Pharoah, M.	Orange peel: who cares?	1241–1244
Piggin, R. S. H.	Agile control systems	189–195
Pine, T.	An experimental and finite element study of the torsional behaviour of T-joints in automotive structures	231–240
Pinto, M.	Will radar-based vision enhancement make driving safer? An experimental study of a hypothetical system on a driving simulator	959–967
Plint, M. A.	Some limitations of the chassis dynamometer in vehicle simulation	431–437
Pontikakis, G.	Mathematical modelling of catalytic exhaust systems for EURO-3 and EURO-4 emissions standards	1005–1015
Pullen, K. R.	Turbocharger motor–generator for improvement of transient performance in an internal combustion engine	369–383
Rachitrangsan, P.	Agile control systems	189–195
Rancourt, J.	Dynamic modelling and simulation of two-mode electric variable transmission	1217–1223
Reinhall, P. G.	Determination of air brake adjustment from air pressure data	21–29
Rice, E.	Tracking the two-phase flow through a vehicle cowl box	515–532
Richardson, S.	An experimental study of unsteady vehicle aerodynamics	779–788
Roberts, C. A.	Warming automotive catalysts with pulsating flows	891–910
Roberts, J. B.	A direct transform method for the analysis of laser Doppler anemometry engine data	725–738
Rouillard, V.	Simulation of non-stationary vehicle vibrations	1069–1075
Russell, M.	Cycle analysis for fuel-inducted internal combustion engine configurations	115–125
Sayed, R.	Unobtrusive drowsiness detection by neural network learning of driver steering	969–975
Sbaschnig, R.	Throttle body: modelling and identification	813–825
Scheibe, R. R.	Determination of air brake adjustment from air pressure data	21–29
Schmidt, M. R.	Dynamic modelling and simulation of two-mode electric variable transmission	1217–1223
Sek, M. A.	Simulation of non-stationary vehicle vibrations	1069–1075
Selim, M. Y. E.	Effect of coolant additives on thermal loading of a diesel engine	1131–1142
Seneviratne, L. D.	Detailed analytical model of a single-cylinder diesel engine in the crank angle domain	1197–1216
Sharp, R. S.	Construction of race circuit geometry from on-car measurements	1033–1042
Shayler, P. J.	Fuel losses to the crankcase and hydrocarbon return with recirculated oil and ventilation flow	1117–1130
Shi, S.-X.	An investigation of in-cylinder tumbling motion in a four-valve spark ignition engine	273–284
Shi, X.	Reconstructing cylinder pressure from vibration signals based on radial basis function networks	761–767
Shin, M. K.	Axiomatic design of the motor-driven tilt/telescopic steering system for safety and vibration	179–187
Shin, Y. G.	Estimation of instantaneous exhaust gas flowrate based on the assumption of a polytropic process	637–643
Silva, N. R.	Cold start and drivability characteristics of an ethanol–methyl-*t*-butyl ether blend fuelled vehicle	645–649
Sim, H. S.	Effect of synchronized secondary air injection on exhaust hydrocarbon emission in a spark ignition engine	557–566
Sime, A. P.	The design of overlapped crankshafts. Part 1: crankpin fillets	503–513
Simionescu, P. A.	Kinematic analysis of a two-degree-of-freedom steering mechanism used in rigid-axle vehicle	803–812
Širok, B.	Analysis of the air flow in the radial engine cooling fan of a combat vehicle	665–673
Smith, G. F.	Orange peel: who cares?	1241–1244
Smith, J. E.	Design of continuously variable power split transmission systems for automotive applications	469–478
Snyder, T. D.	Prediction of wet band brake dynamic engagement behaviour. Part 1: mathematical model development	479–492
Snyder, T. D.	Prediction of wet band brake dynamic engagement behaviour. Part 2: experimental model validation	603–611
Sodré, J. R.	Cold start and drivability characteristics of an ethanol–methyl-*t*-butyl ether blend fuelled vehicle	645–649
Soltic, P.	Performance simulations of engine–gearbox combinations for lightweight passenger cars	259–271
Song, H.	Simulation of a transient torque response for engine performance in a spark ignition engine	127–140

© IMechE 2001

Song, J.	Flame kernal formation and propagation modelling in spark ignition engines	105–114
Song, S. H.	An optimum design methodology development using a statistical technique for vehicle occupant safety	795–801
Song, Y. S.	The turbulence measurement during the intake and compression process for high-turbulence generation around spark timing	493–501
Spasojević Brkić, V. K.	Additional adjustment of the driver seat in accordance with the latest anthropometric measurements of drivers in Belgrade	709–712
Stamatelos, A.	Mathematical modelling of catalytic exhaust systems for EURO-3 and EURO-4 emissions standards	1005–1015
Stanton, N. A.	Will radar-based vision enhancement make driving safer? An experimental study of a hypothetical system on a driving simulator	959–967
Stone, C. R.	Unsteady in-cylinder heat transfer in a spark ignition engine: experiments and modelling	747–760
Stone, R.	Comparison of audible and digital techniques for the determination of gasoline octane rating in production engines	419–430
Suh, M. W.	Development of an optimum design technique for the bus window pillar member	11–20
Sui, X.	An investigation of in-cylinder tumbling motion in a four-valve spark ignition engine	273–284
Sun, L. Y.	Theoretical simulation of combustion processes of airbag inflators	1–9
Sunwoo, M.	Flame kernal formation and propagation modelling in spark ignition engines	105–114
Sunwoo, M.	An adaptive sliding mode controller for air–fuel ratio control of spark ignition engines	305–315
Sunwoo, M.	Feedback error learning neural networks for spark advance control using cylinder pressure	625–636
Surawattanawan, P.	Electrohydraulic effects on the modelling of a vehicle active suspension	1077–1092
Symonds, P.	Construction of race circuit geometry from on-car measurements	1033–1042
Taboun, S. M.	Electromyographic comparison of two lumbar support mechanisms intended for automotive seating applications	771–777
Tempea, I.	Kinematic analysis of a two-degree-of-freedom steering mechanism used in rigid-axle vehicles	803–812
Tobler, W. E.	Prediction of wet band brake dynamic engagement behaviour. Part 1: mathematical model development	479–492
Tobler, W. E.	Prediction of wet band brake dynamic engagement behaviour. Part 2: experimental model validation	603–611
Tong, X.	Sensitivity of rearward amplification control of a truck/full trailer to tyre cornering stiffness variations	579–588
Torab, B.	Solenoid-operated diesel injectors for low-viscosity liquid and gaseous fuels	1281–1296
Trenc, F.	Analysis of the air flow in the radial engine cooling fan of a combat vehicle	665–673
Tsao, Y. J.	The design of an active suspension force controller using genetic algorithms with maximum stroke constraints	317–327
Vaidyanathan, K.	Viscous contribution to minimum static pressure in a rapidly rotating transfer passage	1093–1098
Van Mierlo, J.	Vehicle simulation program: a tool to evaluate hybrid power management strategies based on an innovative iteration algorithm	1043–1052*
Wang, D. F.	Experimental study of operating performance of a tube-and-fin radiator for vehicles	911–918
Wang, M. Y.	Gear rattle modelling and analysis for automotive manual transmissions	241–258
Wang, S. W.	Theoretical simulation of combustion processes of airbag inflators	1–9
Wang, W.	Fuzzy neural ignition timing control for a natural gas fuelled spark ignition engine	1311–1323
Warrior, N. A.	The design of overlapped crankshafts. Part 1: crankpin fillets	503–513
Watson, H.	Gaussian networks for fuel injection control	1053–1068
Watton, J.	Electrohydraulic effects on the modelling of a vehicle active suspension	1077–1092
Weclas, M.	A new type of internal combustion engine based on the porous-medium combustion technique	63–81
Whidborne, J. F.	Detailed analytical model of a single-cylinder diesel engine in the crank angle domain	1197–1216
Winborn, L. D.	Fuel losses to the crankcase and hydrocarbon return with recirculated oil and ventilation flow	1117–1130
Wong, J. Y.	A general theory for skid steering of tracked vehicles on firm ground	343–355
Wu, D.-H.	A theoretical study of the yaw/roll motions of a multiple steering articulated vehicle	1257–1265
Wu, J.	A direct injection diesel combustion model for use in transient condition analysis	995–1004
Wyszynski, L.	Unsteady in-cylinder heat transfer in a spark ignition engine: experiments and modelling	747–760
Wyszyński, M. L.	Hydrogen enrichment: a way to maintain combustion stability in a natural gas fuelled engine with exhaust gas recirculation, the potential of fuel reforming	405–418
Yi, H.-B.	Active vibration control of a suspension system using an electromagnetic damper	865–873
Yi, K.	An investigation of intelligent cruise control laws for passenger vehicles	159–169
Yi, K.	A vehicle control algorithm for stop-and-go cruise control	1099–1115
Yoon, P.	An adaptive sliding mode controller for air–fuel ratio control of spark ignition engines	305–315

© IMechE 2001

Yoon, P.	Feedback error learning neural networks for spark advance control using cylinder pressure	625–636
You, S.-S.	Lateral dynamics and robust control synthesis for automated car steering	31–43
Young, K. W.	Agile control systems	189–195
Zamani, N.	The distribution of energy absorbed by a three-spoke steering wheel armature in an impact with a deformable chestform	589–601
Zhang, D.	Dynamic modelling and simulation of two-mode electric variable transmission	1217–1223
Zhang, L.	Reconstruction cylinder pressure from vibration signals based on radial basis function networks	761–767
Zhao, H.	Understanding of controlled autoignition combustion in a four-stroke gasoline engine	1297–1310
Zhao, W.	Gear rattle modelling and analysis for automotive manual transmissions	241–258
Zheng, L. Z.	Experimental study of operating performance of a tube-and-fin radiator for vehicles	911–918
Zhou, E.	Fuzzy neural ignition timing control for a natural gas fuelled spark ignition engine	1311–1323
Zou, J.	Application of wavelet packets algorithm to diesel engines' vibroacoustic signature extraction	987–993
Zweiri, Y. H.	Detailed analytical model of a single-cylinder diesel engine in the crank angle domain	1197–1216

© IMechE 2001